

How to Enable Pop Ups for NWEA Testing

In order for your student to test via the NWEA online testing environment, browser Pop-Ups must be enabled to initiate testing.

Below are basic instructions regarding how to enable pop-ups in Google Chrome, Firefox, Safari and Internet Explorer. Please note that browsers vary by computer system and version number. The instructions given might be slightly different than presented.

Google Chrome

Manage pop-ups

Google Chrome prevents pop-ups from automatically appearing and cluttering your screen. Whenever the browser blocks pop-ups for a site, an icon appears on the top-right in the address bar. Click the icon to see the pop-ups that have been blocked or to manage pop-up settings for the site.

See pop-ups for a specific site

To see blocked pop-ups for a site, follow the steps listed below:

1. If pop-ups have been blocked, you'll see the icon in the address bar. Click the icon to see a list of the blocked pop-ups.
2. Click the link for the pop-up window that you'd like to see.
3. To always see pop-ups for the site, select "Always show pop-ups from [site]." The site will be added to the exceptions list, which you can manage in the Content Settings dialog.

To manually allow pop-ups from a site, follow the steps below:

1. Click the Chrome menu on the browser toolbar.
2. Select **Settings**.
3. Click **Show advanced settings**.
4. in the "Privacy" section, click the **Content settings** button.
5. In the "Pop-ups" section, click **Manage exceptions**.

Allow all pop-ups

You can allow all pop-ups by disabling the pop-up blocker. Follow these steps:


1. Click the Chrome menu on the browser toolbar.
2. Select **Settings**.
3. Click **Show advanced settings**.
4. in the "Privacy" section, click the **Content settings** button.
5. In the "Pop-ups" section, select "Allow all sites to show pop-ups." Customize permissions for specific websites by clicking **Manage exceptions**.

Firefox

Pop-up blocker settings

To access the pop-up blocker settings:

1. Click the menu button ☰ and choose Preferences.
2. Select the Content panel.
- 3.



- 4.
5. In the Content panel below Pop-ups:
 - Uncheck the box next to **Block pop-up windows** to disable the pop-up blocker altogether.

Safari

1. Open up your Safari Web browser.
2. Go to the Safari menu and choose 'Preferences' from the list of choices
3. Click on the Security heading.
4. Uncheck the box marked 'Block pop-up windows' if you would like Safari to allow all popups. Safari will then ask if you would really like to change the setting.
5. Click on the 'OK' button in order to change the setting.
6. Close the Preferences windows after you are done changing settings.
7. Shut down and restart Safari.

Internet Explorer

Pop-up Blocker limits or blocks pop-ups on sites that you visit. You can choose the level of blocking you prefer, turn on or off notifications when pop-ups are blocked, or create a list of sites that you don't want to block pop-ups on. Pop-up Blocker settings only apply to Internet Explorer.

To turn Pop-up Blocker on or off

1. Open Internet Explorer, select the **Tools** button , and then select **Internet options**.
2. On the **Privacy** tab, under Pop-up Blocker, select or clear the **Turn on Pop-up Blocker** check box, and then select **OK**.